

## In Vitro Skin Irritation on Reconstructed Human Epidermis Test Method (according to OECD 439)

REPORT N. 00362-21 Rev. 00

Customer: **IDEANTIS SRL**  
VIALE MONTE NERO 80 - 20135 - MILANO

### TIME SCHEDULE

Acceptance N.: 20-7998  
 Samples receiving date: 26/11/2020  
 Start test date: 10/12/2020  
 End test date: 15/01/2021  
 Coronati Consulting Operator: Dr. C. Pellegrini

### TEST MANAGEMENT

Coronati Consulting srl Via L. Gavioli, 3 I-41037 Mirandola (MO) Certified ISO 9001/ ISO 13485  
 The test was performed at ABICH srl; Via 42 Martiri 213/B I-28924-Verbania (VB) Italia



### REFERENCE DOCUMENTS

OECD Guideline for the testing of chemicals. No. 439: In vitro Skin Irritation: Reconstructed Human Epidermis Test Method. Test Guideline as adopted (2019).

### TEST SAMPLE IDENTIFICATION

Name: Maskèdra  
 Sample Typology: Mascherina chirurgica  
 Composition: poliuretano+poliammide12+Spunbond+Melt blown+natural rubber+poliestere  
 Code (REF): N/A  
 Batch: 001  
 Manufacturing date: ottobre 2020  
 Expiry date: Non applicabile  
 Sterilization Method: Not sterile  
 Sterilization Batch: N/A  
 Sterilization Date: N/A  
 Sterilization Unit: N/A

*The information concerning the test sample were provided by the Customer. All data related to the test sample are under the responsibility of the Customer and have not been verified by the test laboratory.*

Issue Date	Rev.	Change Description	Prepared by Dr. C. Pellegrini (Laboratory Technician)	Verified and Approved by Dr. Renzo Giovanni Coronati (Managing Director Laboratory)
22/01/2021	00	First Issue		

This test report is digitally signed by Dr. Renzo Giovanni Coronati.  
 The digital signature has legal value according to Italian D. Lgs. 82/2005 and subsequent amendments.

*The sampling is performed by the Customer. The test results relate only to the test sample as received.  
 This report shall not be reproduced except in full without the written approval of Coronati Consulting srl.*

**PROCEDURE**

All procedure is reported in Annex 01.

**RESULTS**

The results are reported in Annex 01.

**CONCLUSIONS**

On the basis of the results, the sample "**Maskèdra**" is **NOT A SKIN IRRITANT**.

**RECORD FILING**

An original copy of the report No. REL/0061 Rev. 01/2021/IRRC/ELB is available at Coronati Consulting.

**ANNEXES**

Annex 01: ABICH S.r.l. Final Report N°. REL/0061Rev.01/2021/IRRC/ELB

-----*End of Report*-----